

Troopers Hill Monitoring 2008



Photograph 1: Note expansion of heath in centre of picture and result of scrub clearance in upper left.



Photograph 2: Note growth of rosebay willowherb and other tall herbs following bramble clearance.

Troopers Hill Monitoring 2008



Photograph 3: Tall herb and grassland vegetation has replaced Japanese knotweed following control.



Photograph 4: Tall herb vegetation (mugwort) in front left and scrub in background right have grown

Troopers Hill Monitoring 2008



Photograph 5: Japanese knotweed and scrub in right background have disappeared following management



Photograph 6: Heather in right background is slightly more extensive. Scrub is taller.

Troopers Hill Monitoring 2008



Photograph 7: Heather and bell heather have both become more extensive.



Photograph 8: Birch and broom are now regenerating in the area.

Troopers Hill Monitoring 2008



Photograph 9: Heathland has developed well.



Photograph 10: Heather and broom have both regenerated well on an area previously burnt.

Troopers Hill Monitoring 2008



Photograph 11: Broom has continued to grow and heather has spread across the area.



Photograph 12: Bell heather has spread across the foreground and grass growth is vigorous, a consequence of wet summers in 2007 and 2008.

Troopers Hill Monitoring 2008



Photograph 13: Heathland has spread in the foreground. Trees in the centre are taller.



Photograph 15: There has been little change in this area.

Troopers Hill Monitoring 2008



Photograph 16: Apart from trees growing, there is little change here.



Photograph 17: Heather has continued to spread, but there is some scrub growth at left of picture